

HOSTOMSKA, L.; STEJSKAL, J.

Diabetes insipidus in children. Cesk. pediat. 14 no.3:203-212 5 Mar 59.

1. Katedra fakultni pediatrie fakulty detskeho lekarstvi, vedouci prof. MUDr. J. Houstek, Praha Katedra nemocnicni pediatrie fakulty detskeho lekarstvi, vedouci prof, MUDr. J. Svejcar, Praha.

(DIABETES INSIPIDUS, in inf. & child.

(Cz))

KUCHEL, O.; PACOVSKY, V.; VITKOVA, E.; STEJSKAL, J.

Significance of minerale-corticoid secretion by the adrenal
cortex in diabetes insipidus. Cas. lek. cesk. 98 no.32-33:
1009-1 3 14 Aug 59.

1. III. interni klinika fakulty vseobecneho lekarstvi a laboratore
pro endokrinologii a metabolismus v Praze, prednosta akademik Josef
Charvat. I. detska klinika fakulty detskeho lekarstvi v Praze, pred-
nosta prof. dr. J. Svejcar.

(DIABETES INSIPIDUS, urine)

(ALDOSTERONE, urine)

BEDNAR, B.; PECHACEK, E.; BRAUN, A.; JIRASEK, A.; LISKA, K.; PAZDERKA, V.;
STEJSKAL, J.; STEJSKALOVA, A.; VALACH, V.; VORREITH, M.

Neoplasms of the central nervous system. Acta univ. carol. [Med] 1960:
1-102 '60.

(CENTRAL NERVOUS SYSTEM neoplasms)

STEJSKAL, J.; KLUSKA, Vl.

Non-specific adenopathy in a respiratory syndrome. Cesk.pediat.
15 no.8:720-724 Ag '60.

1. Krajska detska nemocnice, izolacni oddeleni, prednosta doc. dr.
Vl. Kluska.
(RESPIRATORY SYSTEM dis.)
(LYMPHADENOTIS in inf. & child)

STEJSKAL, J.

Hemangioma of the epicardium as a cause of cardiac tamponade.
Sborn.lek. 62 no.1:19-22 Ja '60.

1. I. patologickoanatomicky ustav fakulty vseobecneho lekarstvi
v Praze, prednosta doc.dr. Blahoslav Bednar. Patologickoanato-
micke oddeleni Thomayerovy nemocnice v Praze-Krci, prednosta
primar dr. Rudolf Malek.

(HEMANGIOMA compl.)

(PERICARDIUM neopl.)

(HEART DISEASES etiol.)

STEJSKAL, J.; KANIA, Vl.; KLUSKA, Vl.

Role of glutamic-oxalic transaminase in infectious diseases in childhood. Cesk. pediat. 16 no.5:415-420 My '61.

1. Infekčni oddeleni II detske kliniky v Brne, prednosta doc. MUDr. Vl. Kluska.

(COMMUNICABLE DISEASES in inf & child)
(TRANSAMINASES metab)

KANIA, V.; STEJSKAL, J.; KLUSKA, V.

Effect of corticosteroids on the level of bilirubin, SGOT and glucuronic acid in infectious hepatitis in children. Cesk. gastroent. vyz. 15 no.7:508-515 N '61.

1. Infekčni oddelení KDN, Brno, přednosta doc. MUDr. Vlad. Kluska.
(HEPATITIS INFECTIOUS ther) (ADRENAL CORTEX HORMONES ther)
(BILIRUBIN blood) (TRANSAMINASES blood)
(GLUCURONASES blood)

STEJSKAL, J

SURNAME, Given Names

Country: Czechoslovakia

Academic Degrees: [not given]

Affiliation:

Source: Prague, Rozhledy v Tuberkulose a v Nemocech Plicnich, Vol XXI, No 6, July 61,
pp 473-475.

Data: "Unusual Type of Pulmonary Haemoblastoma."

Authors: LICHTENBERG, J., presumably First Clinic of Surgery, KU [Karlova universita;
Charles University] (I. chirurgicka klinika, KU), Prague;
Director: Prof Dr J. PAVROVSKY.

PESEK, M., [presumably] First Clinic of Surgery, KU, Prague.

MARIK, A., [presumably] TB Department FN I [not identified] (Tbc oddeleni, FN I),
Prague; Director: Dr. J. POLANSKY.

STEJSKAL, J., [presumably] First Institute of Pathological Anatomy, KU [Karlova
universita; Charles University] (I. patologicko-anatomicky ustav, KU),
Prague; Director: Prof Dr. B. BEDNAR.

STEJSKAL, Jaroslav
SURNAME, Given Names

(4)

Country: Czechoslovakia

Academic Degrees: MD

Affiliations: Department of Infectious Diseases of the Second Pediatric Clinic
(Infekčni oddelení II. dětské kliniky), Brno; Director: Docent
V. KLUSKA, MD.

Source: Prague, Praktický Lekar, Vol 41, No 9, 1961, pp 406-408.

Data: "Glucuronic Acid and Infectious Hepatitis."

Authors: KANIA, Vladimír

STEJSKAL, Jaroslav

KLUSKA, Vladimír

27

STEJSKAL, J. (MD)
SURNAME, Given Names

(3)

Country: Czechoslovakia

Academic Degrees: MD

Affiliation: Isolation Department of the Kraj Children Hospital (Izolacni oddeleni Krajske detske nemocnice), Brno; Director: Docent V. KLUSAK, MD.

Source: Prague, Prakticky Lekar, Vol 41, No 13, 1961, pp 581-586.

Data: "Relapsing Respiration Syndrome During Childhood."

Authors: STEJSKAL, J., MD
KLUSKA, Vl., MD

197

BEDNAR, B.; JIRASEK, A.; STEJSKAL, J.; CHYTIL, M.

Secondary uremic oxalosis. Cas.lek.cesk 100 no.23:705-708 9 Je '61.

1. Hlavuv I. patologickoanatomicky ustav, prednosta prof. Dr. Sc.
MUDr. B. Bednar, II. interni klinika, prednosta prof. Dr. Sc.
MUDr. F. Herles, fakulty vseobecneho lekarstvi Karlovy university
v Praze.

(OXALATES) (UREMIA compl)

BEDNAR, B.; BRAUN, A.; DOBIAS, J.; JIRASEK, A.; KALUS, M.; PITHA, J.; STEJSKAL, J.;
STEJSKALOVA, A.; URBANOVA, D.

"Internal" precancerosis from the point of view of pathology. Rev.
czech. med. 8 no.3:179-185 '62.

1. The Hlava First Pathological Institute, Medical Faculty, Charles
University, Prague; Director: Prof. B. Bednar, M.D., D.Sc.
(NEOPLASMS)

STEJSKAL, J.; KANIA, Vl.

Glutamic oxalacetic transaminase and common liver function tests in infectious mononucleosis in children. Cesk. pediat. 17 no.5/6:524-530 Je '62.

1. Infekcni oddeleni II detske kliniky lekarske fakulty University J. Ev. Purkyne v Brne.

(LIVER FUNCTION TESTS in inf & child)
(TRANSAMINASES metab)
(INFECTIOUS MONONUCLEOSIS diag)

STEJSKAL, J.; KANIA, Vl.; KLUSKA, Vl.

Relation of SGOT and glucuronic acid in infectious hepatitis in childhood. Cas. Lek. Cesk. 101 no.12:357-360 23 Mr '62.

1. Infekčni oddelení II dětské kliniky lek. fak. university J. Ev. Purkyne, Brno, přednosta doc. MUDr. Vlad. Kluska.

(TRANSAMINASES blood) (GLUCURONATES blood)
(HEPATITIS INFECTIOUS in inf & child)

STEJSKAL, J.; OSLEJSKOVA, M.; GREGOROVA, Y.

Liver disorders in influenza in childhood. Scr. med. fac.
med. Brunensis 36 no.3:139-145 '63.

1. Infekčni oddelení Fakultní detske nemocnice v Brne, Cerna
pole Vedoucí doc. MUDr. V. Kluska Biochemické oddelení
Fakultní detske nemocnice v Brne, Cerna pole Vedoucí MUDr.
O. Teyschl.

(INFLUENZA) (AMINOTRANSFERASES)
(ALANINE AMINOTRANSFERASE)
(ASPARTATE AMINOTRANSFERASE)

STEJSKAL,J.; BOZDECHOVA,N.; OSLEJSKOVA,M.

Presence of atypical lymphocytes in clinically healthy children
and in some infections during childhood. Cesk. pediat. 19 no.2:
157-160 F'64.

1. Infekčni oddelení fakultní detske nemocnice v Brne; vedoucí:
doc.dr. Vl.Kluska.

*

CZECHOSLOVAKIA

3

SPALA, M., JELINEK, J., DOLEZALOVA, H., STEJSKAL, J.,
POKORNY, Z; Institute of Pathological Physiology and 1st Path-
ological and Anatomical Institute Faculty of General Medicine,
Charles University (Ustav Patologicke Fysiologie a I. Patolog-
icko-Anatomicky Ustav Fak. Vseob. Lek. KU), Prague.

"Compensation Kidney Hypertrophy of Rats as an Experimental
Model of Induced Tissue Growth."

Prague, Ceskoslovenska Fysiologie, Vol 15, No 2, Feb 66, pp 108-109

Abstract: 300 adult male rats were subjected to unilateral neph-
rectomy and the progress of the compensatory hypertrophy of the
other kidney was investigated. The weight of the animals de-
creased after the operation and reached the original value after 16
days. The weight of the remaining right kidney started to
increase after 8 days, and after 32 days it was 150% of the
original weight. The influence of administration of methyl-
testosterone, dimethylandrostanolon and Royal Jelly after the
operation was investigated. 1 Figure, 1 Czech reference.
Submitted at "16 Days of Physiology" at Kosice, 28 Sep 65.

1/1

- 169 -

CZECHOSLOVAKIA

UDC 616.24-006.6:616.24-003.65

NAVRATIL, Miroslav; STEJSKAL, Josef; FINGERLAND, Antonin; Institute of Work Hygiene and Professional Diseases (Ustav Hyg. Prace a Chor. z Povolani), Prague, Director (Reditel) Prof Dr J. TEISINGER; 1st Pathological and Anatomical Institute, Fac. Gen. Med. Charles Univ. (I. Patologickoanatomicky Ustav Fak. Vseob. Lek. KU), Prague, Head (Prednosta) Prof Dr B. BEDNAR; Pathological and Anatomical Inst. Med. Fac. Charles University (Patologickoanatomicky Ustav Lek. Fak. KU), Hradec Kralove, Head (Prednosta) Prof Dr A. FINGERLAND.

"Occurrence of Lung Cancer in Asbestosis."

Prague, Pracovni Lekarstvi, Vol 18, No 6 - 7; Aug 66, pp 256-260

Abstract [Authors' English summary modified]: In the last 9 years 57 cases of asbestosis were reported in Czechoslovakia. Reports on the state of health of 35 of these were available; of the 35, 9 patients died within the last year, 7 of them of lung cancer.

Pleural and peritoneal mesothelioma was not found. The occurrence of lung cancer in asbestosis is very high. Workers who were exposed to asbestos dust should be kept under observation, even after they stopped working in dangerous surroundings and do not suffer from asbestosis. 11 Figures, 3 Tables, 4 Western, 11 Czech references. (Ms. rec. 20 Dec 65).

1/1

- 20 -

REKTORIK, Z.;STEJSKAL, J.

Galenic substances in the 8th edition of the Soviet Pharmacopeia. Cesk.
farm. 1 no.9:518-528 1952. (CLML 23:4)

STEJSKAL, J.

Chemical Abstracts

Vol. 48 No. 5

Mar. 10, 1954

Pharmaceuticals, Cosmetics, and Perfumes

Solidified oils and the possibility of their use in pharmacy.
J. Stejskal. *Českoslov. farm.* 2, 132-6(1953). — Practical
use in plinments and suppositories. D. Hubíková /

REKTORIK, Z.; STEJSKAL, J.

Galenic preparations in the eighth edition of the Soviet Pharmacopeia.
Cesk. farm. 2 no.2:56-60 Feb 1953. (CIML 24:4)

REKTORIK, Z.; STEJSKAL, J.

Galenic preparations in the 8th edition of the Soviet Pharmacopeia. III.
Cesk. farm. 2 no.3:90-97 Mar 1953. (CLML 24:4)

HEKTORIK, Z.; STEJSKAL, J.

~~SECRET~~
Galenic preparation in the 8th edition of the Soviet Pharmacopeia.
Cesk. farm. 2 no.5:161-164 May 1953. (CML 25:1)

STEJSKAL, J.; NOVOTNY, J.

Possibilities of effective preservation of certain unguent bases. Cesk.
farm. 2 no.5:165-168 May 1953. (CIML 25:1)

STEJSKAL, Joseph

Gels of cellulose derivatives as ointment base. Cesk.farm. 4 no.3:
152-153 Apr 55.

(GELS,
cellulose deriv., use for ointment base)
(CELLULOSE, derivatives,
gels, use for ointment base)
(OINTMENTS,
bases, use of gels of cellulose deriv.)

STEJSKAL, Josef, RNDR, PhMr

Unguentum leniens. Cesk.derm.30 no.4:232-236 Aug. '55.

(OINTMENTS,

unguentum leniens)

STEJSKAL, JOSEF

CZECHOSLOVAKIA / Chemical Technology, Chemical Products and
Their Application. Part 3 - Fats and Oils,
Waxes. Soaps, Detergents, Flotation Agents.

H-24

Abs Jour : Ref. Zhur. Khimiya, No 4, 1958, 12681.

Author : Josef Stejskal, Bohumil Svoboda.

Inst : Not given.

Title : Emulsifiers of Hydrophilic Surface-Acting Substance Group.
I. Emulsifiers of Ionogeneous Structure.

Orig Pub : Ceskosl. farmac., 1956, 5, No 8, 496 - 503.

Abstract : Review. Sources of raw materials and technology of ma-
nufacturing some anion and cation active emulsifiers.

Card 1/1

STEJSKAL, JOSEF

H-25

CZECHOSLOVAKIA/Chemical Technology, Chemical Products and
Application, Part 3. - Fats and Oils, Waxes,
Soaps, Detergents, Flotation Agents.

Abs Jour: Referat. Zhurnal Khimiya, No 10, 1958, 34055.

Author : Josef Stejskal.

Inst : Not given.

Title : Emulsifiers of Hydrophilic Surface-Active Substance
Group.

Orig Pub: [✓]Ceskosl. farmac., 1956, 5, No 10, 611-616.

Abstract: A brief description and classification of non-iono-
genic surface-active substances are given. The
spheres of their use and their physiological actions
are mentioned. See part I in RZhKhim, 1958, 12681.

Card : 1/1

| | | |
|------------|--|-------|
| COUNTRY | : Czechoslovakia | H-17 |
| CATEGORY | : | |
| ABS. JOUR. | : RZKhim., No. 16 1959, No. | 58081 |
| AUTHOR | : <u>Speliskal, G.</u> | |
| INTT. | : Not given | |
| TITLE | : Hydrophilic Ointments | |
| ORIG. PUB. | : Ceskoslov Farmac, 7, No 5, 257-241 (1958) | |
| ABSTRACT | <p>The author describes the preparation of hydrophilic ointment bases and of emulsifying waxes from the condensation products of ethylene oxide with castor oil and with stearic acid. The addition of partial esters of glycerin with higher fatty acids establishes a hydrophilic-lipophilic equilibrium in the emulsions. The composition and methods for the preparation of emulsions of hydrophilic ointment bases are given and possible applications of these bases in dermatology are indicated.</p> <p style="text-align: right;">From author's summary</p> | |
| CARD: | 1/1 | |

STEJSKAL, Josef; VALEK, Albert

Pathology of sublimate poisoning. Acta Univ. Carol. [med.]
(Praha) 9 no.8:643-655 '63

I. I. Patologickoanatomický ústav fakulty všeobecného lékařství
University Karlovy v Praze (prednosta: prof. MUDr. B. Bednar,
DrSc.) a II. interní klinika fakulty všeobecného lékařství Uni-
versity Karlovy v Praze (prednosta: prof. MUDr. F. Nerl, DrSc.)

BEDNAR, B.; CHYTIL, M.; NOVOTNY, P.; STEJSKAL, J.

Acute enterotoxemic nephrosis. Cas. lek. cesk. 103 no.18:
486-489 3 My'64

I. Hlavuv I. patologickoanatomicky ustav fakulty vseobec-
neho lekarstvi KU [Karlovy university] v Praze (prednosta:
prof. dr. B. Bednar, DrSc.); II. interni klinika fakulty vseobec-
neho lekarstvi KU [Karlovy university] v Praze (prednosta: prof.
dr. F. Herles, DrSc.) a Mikrobiologicky ustav fakulty vseobecne-
ho lekarstvi KU [Karlovy university] v Praze (prednosta: prof.
dr. F. Patocka, DrSc.)

STEJSKAL, J.; STREJCEK, J.

Parathyrotoxic crisis. Cas. lek. cesk. 103 no.23:621-626
5 Je'64

1. Hlavní I. patologickoanatomický ústav fakulty všeobecného
lékařství KU [Karlovy university] v Praze (prednosta: prof.
dr. B. Bednar, DrSc) a I. interní klinika fakulty všeobecného
lékařství KU [Karlovy university] v Praze (prednosta: prof.
dr. V. Hoenig, DrSc.).

KLENER, P.; JANOTA, M.; STEJSKAL, J.

Renal damage in pyrabutol treatment. Cas. lek. cesk. 104 no.24:
650-653 18 Je'65.

1. II. Interni klinika fakulty vseobecneho lekarstvi Karlovy
University v Praze (prednosta: prof. dr. F. Herles, DrSc.) a
I. Patologickoanatomicky ustav fakulty vseobecneho lekarstvi
Karlovy University v Praze (prednosta: prof. dr. B. Bednar,
DrSc.).

KOUŘEK, Václav; MAIS, Jindř; STEJSKÝ, Jindř

Exchange properties of complex cyanides. Pt.2. Jáderna energie
10 no.7:255 J1'64

1. Institute of Nuclear Research, Paz.

STEJSKAL, L.

Program of the census of agricultural holdings in 1950. Statist.
zpravod. 13 no.2:45-50 15 F '50. (CML 19:2)

STEJSKAL, L.; MARCIK, M.

Traumatic paraplegia due to injury of the thoracic spine. Relation of the dynamics of muscle tone to rehabilitation prognosis. Cesk. neurol. 26 no.2:126-134 Mr '63.

1. Neurologické oddelení Státního ústavu rehabilitačního v Kladrušech, vedoucí MUDr. L. Stejskal.

(PARAPLEGIA) (SPINAL INJURIES) (ELECTROENCEPHALOGRAPHY)
(SPINAL CORD INJURIES) (MUSCLES) (REHABILITATION)

STEJSKAL, Lubomir

~~SECRET~~

New problems in the field of health education in the initial stage
of automation of our industry. Pracovni lek.12 no.10:541-544 D '60.

1. Vyzkumny ustav bezpecnosti prace ROH v Praze.
(AUTOMATION)
(INDUSTRIAL MEDICINE)

POLAND/Optics - Photography

K-13

Abs Jour : Ref Zhur - Fizika, No 5, 1959, No 11997

Author : Stojskal Ladislav

Inst : "

Title : Method of Testing Vuesort in Color Motion Picture
Photography

Orig Pub : Technikinomatogr., 1957, No 9, 41-45

Abstract : Description of a sensitometric method of establishing the color in a multiple-emulsion negative-positive process, based on reproducing a gray four-field scale, photographed together with the subject. A measurement of the image of this scale at various stages of the process is carried out with a monochromatic densitometer. Results are expressed in equivalent gray densities. Graphs and tables are given for the connection between the correction light filters as identified by their arbitrary percentages, and the effective

Card : 1/2

STEJSKAL, Lubomir

Industrial hygiene, safety and working conditions in machine
factories. Podnik organizace 16 no.12:565-568 D '62.

1. Kovotechna, Praha.

*

STEJSKAL, L.

Some methodical notions about colour form of machines and
factory halls. Cesk. hyg. 9 no.1:54-57 F'64.

1. Centralni stredisko studia pro strohirenske odvetvi,
Praha.

*

STEJSKAL, Lubor; ECKSTEINOVA, Hana

Parinaud's syndrome in encephalomyelopolyradiculoneuritis. Cesk. neur.
21 no.6:412-416 Nov 58.

1. Janske lazne, lekarsky reditel MUDr. Fr. Pokorny.

(GUILLAIN-BARRE SYNDROME, compl.

Parinaud's synd. (Cz))

(MUSCLES, OCULOMOTOR, paralysis

Parinaud's synd., with Guillain-Barre synd. (Cz))

STEJSKAL, Lubor

Relation of the cerebral cortex to the vestibular system from the physiological viewpoint. Vestibular analyzer. Cesk. neur. 22:394-400 N '59.

1. Neurologicka klinika, Praha; Statni ustav rehabilitacni u Vlasime.

(CEREBRAL CORTEX physiol.)

(VESTIBULAR APPARATUS physiol.)

STEJSKAL, Lubor; MARCIK, Miroslav

Rehabilitation prospects of patients after spinal cord injuries.
Experiences from the rehabilitation center in Kladruhy, Cesk. neur.
24 no.4:251-252 JI '61.

1. Statni ustav rehabilitacni v Kladruhech, lekarsky reditel MUDr.
M. Balzar.

(PARAPLEGIA rehabil)

STEJSKAL, Lubor; MARCIK, Miroslav

Post-traumatic quadroparesis (quadroplegia) and injury of the cervical spine. Cesk. neur. 24 no.4:253-260 JI '61.

1. Statni ustav rehabilitacni v Kladrubech, lekarsky reditel MUDr. M. Balzar.

(PARAPLEGIA rehabil) (SPINE wds & inj)

STEJSKAL, L.; MARCIK, M.

Clinical picture of spinal cord lesions due to injuries of the 12th thoracic and 1st lumbar vertebrae. Cesk. neurol. 25 no.4:266-273
Jl '62.

1. Statni ustav rehabilitacni v Kladrubech, reditel MUDr. M. Balzar.

(SPINAL CORD dis) (SPINE wds & inj)

CZECHOSLOVAKIA

L. STEJSKAL and M. MARCIK, Department of Neurology of the State Rehabilitation Institute (Neurologické oddelení Státního ústavu rehabilitačního), Chief (vedoucí) L. STEJSKAL, MD; Kladruhy.

"Traumatic Paraplegia with Injuries of Thoracic Spine. Relationship Between Muscular Tone Dynamics and Rehabilitation Prognosis."

Prague, Ceskoslovenska Neurologie, Vol 26 No 2, 1963; pp 126-134.

Abstract [English summary modified]: Review of 57 cases: 22 flaccid (average lesion level T7.12) and 9 spastic (9.31) paraplegia; 23 spastic (8.55) and 3 flaccid (10.66) paraparesis. Paradoxically, flaccid syndromes following complete cord severance may have a better prognosis and greater possibilities of treatment than spastic partial-severance cases. Five tables, diagram; 9 Czech and 15 Western references.

1/1

STEJSKAL, Mojmir

Development of some woodworking machines. Drevo 17 no.5:148-150
My '62.

1. Tovarny na obrabeci stroje, n.p., Svitavy.

APPROVED FOR RELEASE: 08/25/2000

CIA-RDP86-00513R001653110019-4"

STEJSKAL, Mojmir

Heavy-duty machines made in series by the National Enterprise
Tovarny na obrabeci stroje in Svitavy. Drevo 17 no.12:376-377
D '62.

1. Tovarny na obrabeci stroje, narodni podnik, Svitavy.

STEJSKAL, M.

STEYSKAL, Moymir [Stejskal, Mojmír]; MISHNAYEVSKIY, A. P., inzh.
[translator]

Modernization of some groups of woodworking machines. Der.
prom. 12 no.2:31-32 F '63. (MIRA 16:4)

1. Natsional'noye predpriyatiye TOS [Tovarny na obrabeci
stroje], g. Svitavy, Chekhoslovatskaya Sotsialisticheskaya
Respublika.

(Woodworking machinery)

SIMKOVA, Marcela; KUKULA, Frantisek; STEJSKAL, Rudolf

Determining iron in antimony by activation analysis. Jaderna energie 9 no.5:165 My '63.

1. Ustav jaderného výzkumu, Československá akademie věd, Řez u Prahy.

STEJSKAL, V.

New products of the Kovofinis National Enterprise. Tech praca
16 no.9:693-694 S '64

STEJSKAL, V.

Sulfur diffusion treatment of steel and cast machinery parts.

p. 18 (Železniční Technika. Vol. 5, no. 1, Jan. 1957, Praha, Czechoslovakia)

Monthly Index of East European Accessions (EEAI) 1C. Vol. 7, no. 2,
February 1958

STEJSKAL, V.

Surface hardening of steel parts by flame.

p. 257 (Železniční Technika, Vol. 5, no. 10, Oct. 1957, Praha, Czechoslovakia)

Monthly Index of East European Accessions (EEAI) 1C. Vol. 7, no. 2,
February 1958

STEJSKAL, V.

Importance of correct overlapping in fitting rims on wheels. p. 26.

ZELEZNICNI DOPRAVA A TECHNIKA. (Ministerstvo dopravy) Praha, Czechoslovakia.
Vol. 7, no. 1, 1959.

Monthly List of East European Accessions (EEAI) LC, Vol. 8, No. 11,
November 1959.

Uncl.

STEJSKAL, V.

Solid wheels will improve railroad transportation. p. 196.

ZELEZNICNI DOPRAVA A TECHNIKA. (Ministerstvo dopravy)
Praha, Czechoslovakia
Vol. 7, no. 7, 1959

Monthly List of East European Accessions (EEAI) LC, Vol. 8, No. 11.
Nov. 1959
Uncl.

Z/040/61/000/004/004/006
A205/A126

AUTHOR: Stajskal, Vladimír, Engineer

TITLE: Fueling of aircraft

PERIODICAL: Letecký obzor, no. 4, 1961, 115 - 117

TEXT: The author investigates the possibilities for increasing the refueling rate of aircraft. The economy of large-capacity aircraft requires acceleration of all ground services, especially of refueling which, in no case, should take more than 20 min. Basically, there are two methods to refuel an aircraft: (a) from tank trucks, (b) from a stationary fuel-dispensing system. Tank trucks have the advantage, that they can be driven to any arbitrary runway or apron; however, their capacity is limited, and it is obvious that they will be replaced by large-volume stationary fuel-dispensing systems which also allow higher rates of fuel delivery. These stationary fuel-dispensing systems can be divided into surface pump stations, underground tanks and simple "hydrants". The pump stands, resembling the stands used for gravity-filling of tank trucks, have the advantage of simple service and that all auxiliary equipment is concentrated in one place, but they reduce the loading-apron utilization and are therefore

Card 1/2

Fueling of aircraft

Z/040/61/000/004/004/006
A205/A126

seldom used. Underground tanks are especially advantageous for pressurized fuel-dispensing. However, tank pits must be rather large, since they contain all auxiliary equipment, hoses and tools, and must be covered by heavy covers, capable to withstand the load of a 45-ton single wheel. In addition, a multitude of such pits is required at various points of the aprons, and the necessary underground piping is rather extensive. The "hydrant" of an underground storage tank is reduced to the minimum size and contains only the fittings for hose connection and the cut-off valve. All other auxiliary equipment (hoses, control, valve, strainers, meters, fire-extinguishers, etc.) are carried by a special dispenser truck which provides for the connection between the "hydrant" and the aircraft tank. This method combines the advantages of the multiple fueling-pit arrangement and the flexibility of the tank truck and is therefore considered the most advantageous fueling system for aircraft. There are one table and 4 references: 3 Soviet-bloc and 1 non-Soviet-bloc. The reference to the English-language publication reads as follows: Apron requirements for Turbine-powered aircraft (IATA).

Card 2/2

CH

70

Pyrazole series. A. Vystřil and Z. Stejskal, *Časopis Českého Lékařnictva* 63, 75-85 (1950); cf. following abstr. — In the condensation of PhNHNH_2 (I) and $\text{CH}_3\text{CMeCO}_2\text{Me}$ (II) a no. of acidic and alk. catalysts were used at several ranges of temp. Freshly distd. I (5.4 g.), 5 g. II, and 0.05 g. hydroquinone (III) were stored in sealed tubes in const. temp. baths of the desired temp. for 12 hrs. with the following product yields (%): 135-40°, 1-phenyl-4-methyl-5-pyrazolidone (IV), 11.25; 160-5°, IV 32.41, 1-phenyl-4-methyl-3-pyrazolidone (V) 2.7; 180-2°, IV 72.6, V 4.00, 1-phenyl-4-methyl-5-pyrazolone (VI) 0, 1-phenyl-4-methyl-3-pyrazolone (VII) 1.73; 190-3°, IV 74.9, V 4.57, VII 3.79; and 200-10°, IV 70.02, V 4.78, VI 4.78, and VII 10.23. When 5.4 g. I and 7.5 g. II were heated 12 hrs. in the presence of 0.1 g. of III, the yields (%) were: 135-40°, IV 9.54; 160-5°, IV 33.3, V 1.25; 180-2°, IV 74.3, V 4.55; 190-4°, IV 77.5, V 5.08, VII 1.15; and 210-15°, IV 73.8, V 5.46, and VII 1.73. For 8.1 g. I, 5 g. II, and 0.05 g. III the yields were: 135-40°, IV 6.37; 160-5°, IV 21.82; 180-6°, IV 60.3, V 5.92, VII 3.56; 190-4°, IV 60.3, V 5, VI 4.94, VII 5.51; and 220-5°, IV 20.7, V 12, VI 82.8, and VII 7.92. In the presence of 10 cc. 70% AcOH and 0.05 g. III, condensation of 5.4 g. I with 5 g. II for 12 hrs. at various temps. yielded V in the following quantities (%): 130-2° 41.00, 140-3° 99.00, 150-2° 77.20, 165-70° 76.00, 185-90° 60.50. I (5.4 g.) and 7.5 g. II heated 12 hrs. in the presence of 0.05 g. III and 10 cc. 70% AcOH gave the following yields of V: 140-3° 70.02, 150-2° 76.50, 165-75° 76.35, and 185 (0°) 73.70. The effect of time on yield of V is shown by the following series in the interaction of 5.4 g. I and 5.5 g. II in the presence of 0.05 g. III and 10 cc. of 70% AcOH: 2

hrs. 32.15, 3 hrs. 47.00, 4 hrs. 70.20, 5 hrs. 76.90, 6 hrs. 77.30, and 10 hrs. 73.10%. I and II were condensed in the presence of MeONa in a flask by dissolving 5 g. Na in 25 cc. of MeOH, adding 1 g. III in 5 cc. MeOH, and then quickly introducing a mixt. of 10.8 g. I and 10 g. II; after the exothermic reaction subsided the mixt. was refluxed 3 hrs. on a H₂O bath, the MeOH distd. off on a H₂O bath, 200 g. warm H₂O added, the red soln decolorized with 5 g. C, filtered, the filtrate exactly neutralized with dil. AcOH, heated to boiling, 2 g. NaHSO₅ added, 5 g. Carboraffin were added, and the mixt. was rapidly filtered; upon cooling 76.8% V, m. 129-130° (m.p. unrecr.), pptd. Extn. of the C with EtOH yielded 12.06% VII, m. 204-205°. Heating 1 hr. instead of 3 hrs. yielded 72.7% V and 8.6% VII. Heating 8 hrs. gave 67.8% V and 20.1% VII. Condensation in the presence of NaNH₂ resulted in low yields of these derivs. Condensation of 2.90 g. of the betaine, Me-BtNCHMeCO₂H (VIII), and 2.16 g. I in the presence of 50 cc. 0.5 N H₂SO₄ at 140-80° for 0.5 hr., followed by 20 cc. more of 0.5 N H₂SO₄, and heating for an addtl. 0.5 hr., then 10 cc. more of H₂SO₄ and another 0.5 hr. of heating, resulted in 93.2% decompn. of VIII and 61% yield of IV. Condensation of 3.70 g. the betaine, Me- α -methyl-1-piperidinium propionate (IX), and 2.16 g. I at 170-80° for 3 hrs. yielded 90.2% IV. Condensation of 10.8 g. I with 10 g. MeCH₂CH₂CO₂Me (X) in the presence of 0.5 g. III for 12 hrs. at 140-5° yielded 66.2% 1-phenyl-3-methyl-5-pyrazolidone (XI), m. 81-82.5°, 4.12% 1-phenyl-5-methyl-3-pyrazolidone

(XII), m. 125-6°, and 18.85% 1-phenyl-3-methyl-5-pyrazolone (XIII), m. 124.5-5°. In the presence of 10 cc. 60% AcOH and 0.5 g. III, 5.4 g. I and 5 g. X heated 5 hrs. at 150-5° gave 46.66% XII. In the presence of MeONa (5 g. Na), 10.8 g. I and 10 g. of X gave 4.72% 1-phenyl-5-methyl-3-pyrazolone (XIV), m. 165-6°, and 47.7% XII. Condensation of Me cinnamate with I gave no pyrazolidine derivative. The properties of the new compounds were: IV, m. 109.5-10°, insol. in alkalis, sol. in dil. acid; IV with Ac₂O yielded the 2-acetyl-1-(bromophenyl)-4-methyl-5-pyrazolone (V), m. 161-8°, m. 61-2° (from CCl₄); dehydrogenation with Br₂ and with Ca(ClO)₂ yielded VI, m. 142.5-3°. V with H₂ and with Ca(ClO)₂ yielded VII, m. 207.5-8°, m. 120.5-30°, sol. in alk. and acid soln.; gave VII, m. 207.5-8°, with H₂O or FeCl₃, 1-(bromophenyl)-4-methyl-5-pyrazolone (XV), m. 241-4°, with Br in AcOH. XV with 2 N NaOH yielded the Na salt, C₁₁H₉ON₂BrNa.2H₂O, which with CaSO₄ yielded (C₁₁H₉ON₂Br)₂Cu.H₂O. James L. Teal

STEJSKAL, Z

Certain aspects of salipyrin. Cas. česk. lek. 63 no.21:277
15 Nov 50. (CJML 20:4)

STEJSKAL, Z.

Lecithins. Cas.cesk.lek. 63 no.23:359 15 Dec 50. (CJML 20:5)

STEJSKAL, Z.

✓ 530. Gravimetric determination of chlorpromazine.
J. Blažek and Z. Stejskal (State Inst. for the
Control of Med., Prague, Czechoslovakia) (*Czechoslov.
Farmac.*, 1955, 4 [5], 246-247).—The solution con-
taining ≈ 20 mg of chlorpromazine is diluted to
20 ml with water and heated to 70° C. One ml
of 35 per cent. HCl soln. is added, and 8 ml of 10
per cent. tungstosilicic acid are added, dropwise,
while the soln. is stirred. The ppt. is dried at 110° C.
The percentage of chlorpromazine is given by the
expression $\frac{30.65x}{y}$, where x = wt. (g) of dried ppt.
and y = volume (ml) of the medicinal soln. used.
A. O. JAKUBOVIC

(1)

STE JSKAL 2.

STEJSKAL, Z.

✓ Gravimetric determination of chlorpromazine. J. Blažek
and Z. Stejskal (State Inst. Med. Control, Prague).
Ceskoslov. Farm. No. 5, 1955; Pharmazie 11, 27-8 (1956).—
Silicotungstic acid in acid medium is used as the precipitant. C. M. Hocking.

2

CZECHOSLOVAKIA / Analytical Chemistry. Analysis of
Organic Substances.

E-2

Abs Jour: Ref Zhur-Khimiya, 1958, No 17, 57253.

Author : Blazek J., Kracmar J., Stejskal Z.

Inst : Not given.

Title : Determination of 1-Methyl-2-Mercaptoimidazole.

Orig Pub: Ceskosl. farmac., 1957, 6, No 8, 441-442.

Abstract: Iodometrical determination of 1-methyl-2-mercapto-
imidazole (I) $\text{CH}_3\text{N} - \text{CH} = \text{CH} - \text{N} = \text{C} - \text{SH}$, used as
an antithyroidic remedy, is described. When it
is titrated in the presence of NaHCO_3 (II), 4 gr
equivalent of I is being used up with the formation
of $\text{CH}_3\text{N} - \text{CH} = \text{CH} - \text{N} = \text{C} - \text{OH}$. Approximately 10 mg

Card 1/2

CZECHOSLOVAKIA / Analytical Chemistry. Analysis of Organic Substances. E-2

Abs Jour: Ref Zhur-Khimiya, 1958, No 17, 57253.

Abstract: of a sample is dissolved in 20cc of water followed by the addition of 1gr of II and by the titration with 0.1 n I in the presence of starch. When potentiometrical indication is employed, a 10 mg sample is dissolved in 15cc of water and this solution is titrated in the presence of 1 gr of II or, still better, 10cc of 5 n NaOH. In the latter case the analysis error comprises approx. 0.5% I. The proposed method may be employed for the determination of I in dry tablets and pills.

Card 2/2

3 12 30 52, 2
CZECHOSLOVAKIA / Chemical Technology, Chemical Products and Their H-17
Application. Pharmaceuticals. Vitamins. Antibio-
tics.

Abs Jour : Ref Zhur - Khimiya, No 5, 1959, No. 16529

Author : Blazek, J.; Stejskal, Z.

Inst : Not given

Title : Potentiometric Titration of Medicinal Preparations
Containing Blocked Aromatic Amino-Groups. Part 2.
Determination of Certain Pharmaceutically Valuable
Sulfones

Orig Pub : Coskosl. farmac., 1958, 7, No 1, 23-25

Abstract : A quantitative method has been developed for the
determination of diphenylsulfone derivatives (I):
diamino I (II), 4-carboxymethylamino-4-amino-1 (III), and
diacetylamino-4,4'-1 (IV). The method is based on the
acidic hydrolysis followed by the diazotization with

Card 1/3

H-61

CZECHOSLOVAKIA / Chemical Technology, Chemical Products and Their H-17
Application. Pharmaceuticals. Vitamins. Antibio-
tics.

Abs Jour : Ref Zhur - Khimiya, No 5, 1959, No. 16529

potentiometric control. The system employs the use of two electrodes (platinum and graphite), which are directly connected to a galvanometer. Approximately 500 mg of a substance is boiled in 100 ml of 12.5% HCl (acid) for 30 minutes. After cooling, the contents are transferred (quantitatively) into a 250 ml graduate followed by the addition of concentrated HCl to a volume of 250 ml. The separated layer is then removed with a pipette, fuming HCl (acid) is added and the mixture is subjected to the potentiometric titration with 0.1 M solution of NaNO_2 . The end point is determined by means of measuring the time of declination of the galvanometer needle. 1 ml of 0.1 M NaNO_2 solution corresponds to 12.41 mg of II, 16.62 mg of IV, 16.408 mg of Na-salt of III, and 15.31 mg of III.

Card 2/3

5/8/86, 10
GDR / Chemical Technology. Chemical Products and Their H
Application. Synthetic and Natural Medicinal Sub-
stances. Galenical Preparations and Medicinal
Forms.

Abs Jour: Ref Zhur-Khimiya, No 9, 1959, 32467.

Author : Blazek, J., Stejskal, Zd.

Inst : Not given.

Title : A Polarimetric Determination of Dimethylamino-
acetylphenothiazine.

Orig Pub: Pharmaz. Zentralhalle, 1958, 97, No 6, 255-257.

Abstract: The method is based on the ability of N-dimethyl-
aminoacetylphenothiazine to form an insoluble
precipitate of $\text{SiO}_2 \cdot 12\text{WO}_3 \cdot 4(\text{C}_{16}\text{H}_{16}\text{ON}_2\text{S})$ with
silicotungstic acid in a hydrochloric acid medium.
-- Ya. Kantor.

Card 1/1

228

MARES, V.; STEJSKAL, Z.

Gravimetric and polarometric determination of methylene blue and brilliant green. Ceak. farm. 11 no.7:354-357 S '62.

1. Statni ustav pro kontrolu leziv, Praha.
(METHYLENE BLUE) (CHEMISTRY, PHARMACEUTICAL) (DYES)

STEJSKALOVA, A.

Lactobacillary gastritis. Sborn. lek. 61 no.5:150-152 May 59.

1. Hlavuv I. patologickoanatomicky ustav fakulty vseobecneho lekar.
Karlovu university v Praze, zast. prednosta doc. dr. Blahoslav Bednar.
A.S., I. patologickoanatomicky ustav, Studnickova 2, Praha 2.

(GASTRITIS, case reports

lactobacillary gastritis (Cz))

(LACTOBACILLUS

lactobacillary gastritis, case report (Cz))

BEDNAR, B.; PECHACEK, E.; BRAUN, A.; JIRASEK, A.; LISKA, K.; PAZDERKA, V.;
STEJSKAL, J.; STEJSKALOVA, A.; VALACH, V.; VORREITH, M.

Neoplasms of the central nervous system. Acta univ. carol. [Med] 1960:
1-102 '60.

(CENTRAL NERVOUS SYSTEM neoplasms)

STEJSKALOVA, A

Pravdy, National Library, Vol. VIII, No. 2, January 1968
Copyright State Medical Publishing House (Sobremennye dokla-
dy), Moscow, 1968.

36

1. "Specimen review," Docent J. MAREK pp 12-13.
2. "Fasting Fatigue is a Functional Unconscious Process," MAREK, M. (Pravdy, National Library, Vol. VIII, No. 2, January 1968, pp 12-13). (Pravdy, National Library, Vol. VIII, No. 2, January 1968, pp 12-13). (Pravdy, National Library, Vol. VIII, No. 2, January 1968, pp 12-13).
3. "Functional Process of Fasting Fatigue," MAREK, M. (Pravdy, National Library, Vol. VIII, No. 2, January 1968, pp 12-13). (Pravdy, National Library, Vol. VIII, No. 2, January 1968, pp 12-13). (Pravdy, National Library, Vol. VIII, No. 2, January 1968, pp 12-13).
4. "Fasting Fatigue is a Functional Unconscious Process," MAREK, M. (Pravdy, National Library, Vol. VIII, No. 2, January 1968, pp 12-13). (Pravdy, National Library, Vol. VIII, No. 2, January 1968, pp 12-13). (Pravdy, National Library, Vol. VIII, No. 2, January 1968, pp 12-13).
5. "Fasting Fatigue is a Functional Unconscious Process," MAREK, M. (Pravdy, National Library, Vol. VIII, No. 2, January 1968, pp 12-13). (Pravdy, National Library, Vol. VIII, No. 2, January 1968, pp 12-13). (Pravdy, National Library, Vol. VIII, No. 2, January 1968, pp 12-13).

4246

4

BEDNAR, B.; BRAUN, A.; DOBIAS, J.; JIRASEK, A.; KALUS, M.; PITHA, J.; STEJSKAL, J.;
STEJSKALOVA, A.; URBANOVA, D.

"Internal" precancerosis from the point of view of pathology. Rev.
czech. med. 8 no.3:179-185 '62.

1. The Hlava First Pathological Institute, Medical Faculty, Charles
University, Prague; Director: Prof. B. Bednar, M.D., D.Sc.
(NEOPLASMS)

STEJSKALOVA, Alena

Measurement of the lumen of the peripheral vessels. Acta Univ.
Carol. [med.] (Praha) 9. no.7:611-617 '63

1. I. Patologickoanatomicky ustav fakulty vseobecneho lekarstvi
University Karlovy v Praze; prednosta: prof. MUDr. B. Bednar,
DrSc.

STEJSKALOVA, Eva; BURGER, M.

Transport of acetylated sugars into *Saccharomyces cerevisiae*
RXIII cells. *Folia microbiol. (Praha)* 9 no.2:50-54 Mr'64

1. Department of Technical Microbiology, Institute of Micro-
biology, Czechoslovak Academy of Sciences, Prague.

*

STEJSKALOVA, Eva; PECENY, J.; BURGER, M.

Transport of glucose into *Saccharomyces cerevisiae* RVII.
Folia microbiol. (Praha) 9 no.2:55-57 Mr'64

1. Department of Technical Microbiology, Institute of Micro-
biology, Czechoslovak Academy of Sciences, Prague.

*

CZECHOSLOVAKIA

STEJHALOVA, J; BROUZAL, J.

1. Hygienic and Epidemiological Station NV (Hygienicka a epidemiologicka stanice NV), Prague; 2. Research Institute of Health Organization (Vyskumny ustav organizace zdravotnictvi), Prague

Prague, Ceskoslovenska Hygiena, No 6, 1964, pp357-366

"The Method of Bringing About Sterilisation in Health Establishments."

KRUTA, V.; STEJSKALOVA, J.

Specific and thermal factors during contractile changes and in optimal frequency of myocardial sinus rhythm. Cesk. fysiол. 8 no.3:215-216 Apr 59.

1. Fysiologicky ustav lebarske fakulty Brno Predneseno na III. fysiologickych dnech v Brne dne 13. 1. 1959.

(HEART, physiol.

sinus rhythm, eff. of temperature (Cz))

(TEMPERATURE, eff.

on sinus rhythm (Cz))

BRAVENY, P.; KRADA, V.; STEJSKALOVA, J.

Pessimism of contractility of the mammalian cardiac auricle. *Cesk. fysiolog.* 9 no.1:3-4 Ja 60.

1. Fysiologicky ustav lek. fak. MU, Brno.
(HEART physiolog.)

KRYL, R., Dr.; STEJSKALOVA, M., Dr.; KOUTOVA, J.

Bacteriological examination for Hemophilus pertussis and parapertussis in children treated at Lazne Kynzvalt. Cesk. pediat. 11 no.9:684-687 Sept 56.

1. Klinika infekcnich nemoci v Praze na Bulovce Mikrobiologicke oddeleni HES UNV Praha.

(WHOOPING COUGH, bacteriol.

presence of Hemophilus pertussis & parapertussis in convalescence (Cz))

(CONVALESCENCE, in various dis.

whooping cough, presence of Hemophilus pertussis and parapertussis (Cz))

VYSOKA, B., Dr.; PITNEROVA, V., Dr.; STEJSKALOVA, M., Dr.

Considerations on epidemiology of parapertussis. Cesk. epidem. mikrob. imun. 6 no.4:255-265 July 57.

1. Lekarska fakulta hygienicka, katedra epidemiologie, Praha-Ustav epidemiologie a mikrobiologie, Praha-Hygienicko-epidemiologicka stanice UNV, mikrobiologicke oddeleni, Praha- UEM, Praha.

(WHOOPING COUGH,
parapertussis, epidemiol. (Cz))

STEJSKALOVA, M.

Problem of *Salmonella* infections in Prague. Cesk. epidem. mikrob. imun.
6 no.6:413-417 Nov 57.

1. HES-UNV Praha- reditel V. Krasna.
(*SALMONELLA* INFECTIONS, epidemiology,
in Czech. (Cz))

STEJSKALOVA, MARIE

PHILIPPO, CINCINNATI, OHIO, JULY 13, 1901, 3 CORNELL L. N.
 10 ST. LOUIS, MISSOURI, JULY 13, 1901, 3 CORNELL L. N.
 10 ST. LOUIS, MISSOURI, JULY 13, 1901, 3 CORNELL L. N.
 10 ST. LOUIS, MISSOURI, JULY 13, 1901, 3 CORNELL L. N.

Судья: В.В.В.В., З.А.А.А., И.И.И.И.

[illegible][illegible][illegible]

b6
b7C
b7D

Re "Examination of the records of the FBI concerning the activities of the Communist Party, U.S.A., in the United States, and the results of the investigation conducted by the FBI, dated at Washington, D.C., April 20, 1950." (Enclosure)

[illegible][illegible]

to control of women and women of that country by means of the

6. The results came on 1000 ft. up the river, 50 ft. from the bank, and were the same as those obtained from the other 1000 ft. up the river.

245

一六

STEJSKALOVA, M.

2

CZECHOSLOVAKIA

MARTINU, K., MD; VYBORNA, M., MD; STEJSKALOVA, M., MD.

1. Hygienic-epidemiological Station NV-UNZ (Hygienicko-epidemiologicka stanice NV-UNZ), Prague; 2. Thomayer Hospital (Thomayerova nemocnice), Prague-Krc (for all)

Prague, Prakticky lekar, No 6, 1963, pp 214-216

"Some Questions on Epidemiological Diphtheria."

POTUZNÍK, V.; STEJSKALOVÁ, M.; SUCHANEK, M.; DUBEN, J.; TARABČÁK, M.

Current status, problems and perspectives of microbiology in regional and district hygiene and epidemiology stations. Česk. epidem. 12 no.4:193-198 JI '63.

1. KHES v Českých Budějovicích, HES-NV v Praze, KHES v Ostravě,
OHES v Havlíčkově Brodě a KHES v Kosičích.
(MICROBIOLOGY) (IMMUNOLOGY) (SEROLOGY)
(VIROLOGY)

STEJSKALOVA, M.; BROUKAL, J.

Method of sterilization in health institutions. Analysis of the quality of used sterilized material. Cesk. hyg. 9 no.6:357-366 JI'64.

1. Hygienicka a epidemiologicka stanice NV [Narodniho vyboru], Praha a Vyzkumny ustav organizace zdravotnictvi, Praha.

BURIAN, V.; VYSOKA-BURIANOVA, B.; SRUTOVA, L.; STEJSKALOVA, M.; MIKULECKY, J.;
KRIKAVA, K., KOSTAL, J.

Cultivation of B. pertussis and B. parapertussis using a new
method of preservation of material. Cesk. epidem. 13 no.1:
52-57 Ja'64.

1. Ustav ser a ockovacich latek, Praha; Ustav epidemiologie
a mikrobiologie, Praha; KHES KNV Stredoceskeho kraje, Praha;
HES NV hl. mesta, Praha; OUNZ Litomysl; OHES Pelhrimov;
OHES Hradec Kralove.

*

STEJSKALOVA, Marie

New technical standards for machine-made shoes. Kozarstvi 14
no.11:342 N '64.

STEJSPAL, J.

Journal of the Iron and Steel Inst.
June 1954
Properties and Tests

3
①
Temperature Control by Means of a Dilatometric Controller
in Tests on Metals at High Temperatures. [Stolenn].
(Himelich Listy, 1953, 4, (4), 178-179). [in Czech]. A dil-
atometric temperature controller for use in creep testing is
described.—P. 7.

STEJSNÁL, J.

Improved Work in Foundries as a Result of Temperature
Measurements with an Immersion Pyrometer. J. Stejsnál
(Střelnictví, 1954, 2, (4), 170-173). [In Czech.] An
immersion pyrometer of recent Czechoslovak construction is
described and compared with a similar instrument of British
manufacture.—P. P.

STEK, T.

Sudetic pearls.

p. 251 (Wierchy) Vol. 25, 1956, Krakow, Poland

SO: MONTHLY INDEX OF EAST EUROPEAN ACCESSIONS (EEAI) LC, VOL. 7, NO. 1, JAN. 1958

STEHA, J. (Praha 2, U nemocnice 2.)

Merycism & rumination. Cesk. gastroenter. 11 no.5:340-344 5 Sept 57.

1. II. interni klinika Korlovy university v Praze -- gastroenterologicka skupina doc. Dr Z. Maratky a III. interni klinika v Praze.

(GASTROINTESTINAL DISEASES

merycism (Cz))

STEKACHEV, V.

Before compiling the 1959 financial plan. Fin. SSSR 19 no. 7:47-50
J1 '58. (MIRA 11:8)

1. Nachal'nik finansovogo otdela Vinnitskogo sovnarkhoza.
(Vinnitsa Economic Region--Finance)

STEKACHOV, V.

Incorrect formulation of the question. Fin. SSSR 19 no.9:42
S '58. (MIRA 11:10)

1. Nachal'nik finansovogo otдела Vinnitskogo sovnarkhosa.
(Finance)

STEKACHEV, V.

Ways to increase profitableness. Fin. SSSR 21 no.8:59-61 Ag '60.
(MIRA 13:8)

1. Nachal'nik finansovogo otdela Vinnitskogo sovnarkhoza.
(Vinnitsa Economic Region--Finance)

STEKHANOV, A. I.

USSR/Physics
Spectroscopy
Crystalline - Structure

Jul/Aug 47

"Born's Theory and the Dispersion Spectrum of Alkaline Haloid Crystals," E. F. Gross,
A. I. Stekhanov, 3 pp

"Iz Ak Nauk, Ser Fiz" Vol XI, No 4, p. 364-6

The simple structure of alkaline haloids facilitates the theoretical calculation of the spectrum of elastic fluctuation. The authors used KCl, KBr, and rock salt in their experiments, to try to explain the presence of a complex background in Raman's spectrum of the second order. Comments by several scientists of FIAN. Submitted at Phys and Tech Inst, Acad Sci USSR.

PA 28T90

STEKHANOV, A.I.

GROSS, Ye.F.; STEKHANOV, A.I.

Temperature dependence of the scattering spectra of the second order in crystals. Zhur. eksp. i teor. fiz. 17 no.10:947-948 '47. (MLRA 6:7)

1. Leningradskiy fiziko-tekhnicheskii institut Akademii Nauk SSSR.
(Spectrum analysis) (Crystallography)

~~REDACTED~~

Stekhanov, A. I.

Gross, E. F. and Stekhanov, A. I.

(Acad. Sci., USSR, Leningrad)

Nature 160, 568-9, (1947)

CA: 42-1820/d

Temperature variation of the second-order Raman spectrum of crystals.

~~REDACTED~~

~~SECRET~~

Stankhanov, A. I.

Gross, E. F., Pavinskiy, P. P. and Stankhanov, A. I.
Izvest. Akad. Nauk SSSR, Phys. Ser. 12, 711-23 (1948)
Temperature dependence of Raman spectra in crystals.

CA: 44-4333/g

~~SECRET~~